

PRESS RELEASE

Sources:

Tokyo Institute of Technology
Japan Science and Technology Agency (JST)

For immediate release: September 24, 2018

Subject line: **Breakthrough in blending metals: Precise control of multimetallic one-nanometer cluster formation achieved**

(Tokyo, September 24) **Researchers in Japan have found a way to create innovative materials by blending metals with precision control. Their approach, based on a concept called atom hybridization¹, opens up an unexplored area of chemistry that could lead to the development of advanced functional materials.**

Background

Multimetallic clusters — typically composed of three or more metals — are garnering attention as they exhibit properties that cannot be attained by single-metal materials. If a variety of metal elements are freely blended, it is expected that as-yet-unknown substances are discovered and highly-functional materials are developed. So far, no one had reported the multimetallic clusters blended with more than four metal elements so far because of unfavorable separation of different metals. One idea to overcome this difficulty is miniaturization of cluster sizes to one-nanometer scale, which forces the different metals to be blended in a small space. However, there was no way to realize this idea.

Overview

A team, including Takamasa Tsukamoto, Takane Imaoka, Kimihisa Yamamoto and colleagues, has developed an atom hybridization method, which has realized the first-ever synthesis of multimetallic clusters consisting of more than five metal elements with precise control of size and composition. This method employs a dendrimer template² that serves as a tiny “scaffold” to enable controlled accumulation of metal salts. After precise uptake of the different metals into the dendrimer, multimetallic clusters are obtained by chemical reduction. (See **Figure 1.**) In contrast, a conventional method without the dendrimer yields enlargement of cluster sizes and separation of different metals. (See **Figure 2.**)

The team successfully demonstrated the formation of five-element clusters composed of gallium (Ga), indium (In), gold (Au), bismuth (Bi) and tin (Sn), as well as iron (Fe), palladium (Pd), rhodium (Rh), antimony (Sb) and copper (Cu), and a six-element cluster consisting of Ga, In, Au, Bi, Sn and platinum (Pt). Additionally, they hint at the possibility of making clusters composed of eight metals or more.

Future Development

This atom hybridization method using the dendrimer template can synthesize ultrasmall multimetallic clusters with precise control of size and composition. There are more than 90 metals in the periodic table. With infinite combinations of metal elements, atomicity and composition, this method will open up a new field in chemistry on a one-nanometer scale. The current study marks a major step forward in creating such as-yet-unknown innovative materials.

Technical terms

¹ **Atom hybridization:** A method for synthesis of multimetallic clusters on a one-nanometer scale by using a dendrimer² as a nanosized template. Various metal ions can be taken up into the dendrimer structure with various combinations. Multimetallic clusters are obtained by chemical reduction of these metal ions on the template.

² **Dendrimer template:** A dendrimer is a specific macromolecule having repetitively branched structures. The team utilizes a dendrimer template suitably designed for the assembly of metal atoms in controlling the number of atoms.

References

Authors: Takamasa Tsukamoto¹, Tetsuya Kambe^{1, 2}, Aiko Nakao³, Takane Imaoka^{1, 2, 4}, Kimihisa Yamamoto^{1, 2, *}

Title of original paper: Atom-hybridization for synthesis of polymetallic clusters

Journal: *Nature Communications*

DOI: 10.1038/s41467-018-06422-8

Affiliations: ¹ JST-ERATO, Yamamoto Atom Hybrid Project, Institute of Innovative Research, Tokyo Institute of Technology
² Laboratory for Chemistry and Life Science, Tokyo Institute of Technology
³ RIKEN
⁴ JST-PRESTO

*Corresponding author's email: yamamoto@res.titech.ac.jp




Figure 1. A conceptual image of the atom hybridization method
Five metal elements are blended here in a small cluster on a one-nanometer scale.




Figure 2. A conventional method without the dendrimer template
Large clusters (of over 10-nanometers) are obtained, and different metals are separated from each other.

Related links

[How a tetrahedral substance can be more symmetrical than a spherical atom](#)

[A Preparative-Scale Reaction Using Platinum Clusters with a Single-Digit Atomicity Realized](#)

[DENDRITIC STRUCTURE HAVING A POTENTIAL GRADIENT: NEW SYNTHESIS AND PROPERTIES OF CARBAZOLE DENDRIMERS](#)

[Hybrid Materials Unit, Tokyo Institute of Technology \(PDF\)](#)

[YAMAMOTO-IMAOKA Group](#)

Contact

Emiko Kawaguchi
Public Relations Section,
Tokyo Institute of Technology
media@jim.titech.ac.jp
+81-3-5734-2975

About Tokyo Institute of Technology

Tokyo Tech stands at the forefront of research and higher education as the leading university for science and technology in Japan. Tokyo Tech researchers excel in fields ranging from materials science to biology, computer science, and physics. Founded in 1881, Tokyo Tech hosts over 10,000 undergraduate and graduate students per year, who develop into scientific leaders and some of the most sought-after engineers in industry. Embodying the Japanese philosophy of “monotsukuri,” meaning “technical ingenuity and innovation,” the Tokyo Tech community strives to contribute to society through high-impact research. www.titech.ac.jp/english/

About Japan Science and Technology Agency (JST)

Japan Science and Technology Agency (JST), an advanced network-based research institute that promotes the state-of-the-art R&D projects, will boldly lead the way for co-creation of innovation for tomorrow’s world together with society.

www.jst.go.jp/EN/

About ERATO

Exploratory Research for Advanced Technology (ERATO) is a research funding program of JST, which aims to lead science and technology-based innovations through novel, unique, and transformative basic research.

www.jst.go.jp/erato/en/index.html