

## PRESS RELEASE

Source: Tokyo Institute of Technology, Public Relations Section

For immediate release: August 28, 2018

Subject line: **All wired up: New molecular wires for single-molecule electronic devices**

(Tokyo, August 28) **Scientists at Tokyo Institute of Technology designed a new type of molecular wire doped with organometallic ruthenium to achieve unprecedentedly higher conductance than earlier molecular wires. The origin of high conductance in these wires is fundamentally different from similar molecular devices and suggests a potential strategy for developing highly conducting “doped” molecular wires.**

Since their conception, researchers have tried to shrink electronic devices to unprecedented sizes, even to the point of fabricating them from a few molecules. Molecular wires are one of the building blocks of such minuscule contraptions, and many researchers have been developing strategies to synthesize highly conductive, stable wires from carefully designed molecules.

A team of researchers from Tokyo Institute of Technology, including Yuya Tanaka and Munetaka Akita, designed a novel molecular wire in the form of a metal electrode-molecule-metal electrode (MMM) junction including a polyyne, an organic chain-like molecule, “doped” with a ruthenium-based unit  $\text{Ru}(\text{dppe})_2$  (Figure 1). The proposed design, featured in the cover of the [\*Journal of the American Chemical Society\*](#), is based on engineering the energy levels of the conducting orbitals of the atoms of the wire, considering the characteristics of gold electrodes.

Using scanning tunneling microscopy, the team confirmed that the conductance of these molecular wires was equal to or higher than those of previously reported organic molecular wires, including similar wires “doped” with iron units. Motivated by these results, the researchers then went on to investigate the origin of the proposed wire’s superior conductance. They found that the observed conducting properties were fundamentally different from previously reported similar MMM junctions and were derived from orbital splitting. In other words, orbital splitting induces changes in the original electron orbitals of the atoms to define a new “hybrid” orbital facilitating electron transfer between the metal electrodes and the wire molecules. According to Tanaka, “such orbital splitting behavior has rarely been reported for any other MMM junction”.

Since a narrow gap between the highest (HOMO) and lowest (LUMO) occupied molecular orbitals is a crucial factor for enhancing conductance of molecular wires, the proposed synthesis protocol adopts a new technique to exploit this knowledge, as Tanaka adds “The present study reveals a new strategy to realize molecular wires with an extremely narrow HOMO–LUMO gap via MMM junction formation.”

This explanation for the fundamentally different conducting properties of the proposed wires facilitate the strategic development of novel molecular components, which could be the building blocks of future minuscule electronic devices.

## Reference

Authors: Yuya Tanaka<sup>1,\*</sup>, Yuya Kato<sup>1</sup>, Tomofumi Tada<sup>2,\*</sup>, Shintaro Fuji<sup>3</sup>, Manabu Kiguchi<sup>3,\*</sup> and Munetaka Akita<sup>1,\*</sup>

Title of original paper: "Doping" of Polyynes with an Organometallic Fragment Leads to Highly Conductive Metallapolyyne Molecular Wire

Journal: *Journal of the American Chemical Society*

DOI: [10.1021/jacs.8b04484](https://doi.org/10.1021/jacs.8b04484)

Affiliations: <sup>1</sup>Laboratory for Chemistry and Life Science, Institute of Innovative Research, Tokyo Institute of Technology  
<sup>2</sup>Materials Research Center for Element Strategy, Tokyo Institute of Technology  
<sup>3</sup>Department of Chemistry, School of Science, Tokyo Institute of Technology

\*Corresponding author's email: [ytanaka@res.titech.ac.jp](mailto:ytanaka@res.titech.ac.jp), [tada.t.ae@m.titech.ac.jp](mailto:tada.t.ae@m.titech.ac.jp), [kiguti@chem.titech.ac.jp](mailto:kiguti@chem.titech.ac.jp), [makita@res.titech.ac.jp](mailto:makita@res.titech.ac.jp)




Figure 1. Structure of the proposed metallapolyyne molecular wire

The proposed wire is "doped" with a ruthenium unit that enhances its conductance to unprecedented levels compared with previously reported similar molecular wires.

## Contact

Emiko Kawaguchi  
Public Relations Section,  
Tokyo Institute of Technology  
[E-mail.media@jim.titech.ac.jp](mailto:E-mail.media@jim.titech.ac.jp)  
+81-3-5734-2975

### **About Tokyo Institute of Technology**

Tokyo Tech stands at the forefront of research and higher education as the leading university for science and technology in Japan. Tokyo Tech researchers excel in fields ranging from materials science to biology, computer science, and physics. Founded in 1881, Tokyo Tech hosts over 10,000 undergraduate and graduate students per year, who develop into scientific leaders and some of the most sought-after engineers in industry. Embodying the Japanese philosophy of “monotsukuri,” meaning “technical ingenuity and innovation,” the Tokyo Tech community strives to contribute to society through high-impact research. [www.titech.ac.jp/english/](http://www.titech.ac.jp/english/)